



14/3mm Pre-finished oak flooring





BERGOLIN invisible lacquer

3 x primer coat 2 x UV lacquer top coat 5 x UV lamp drying

PROFF



Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

PRODUCT INFORMATION AND WARRANTY

Top Face: 3mm lightly brushed Oak with PROFF and

Plank Dimensions: 1900 x 190 x 14/3mm Packaged: 2.888sqm - 8 pieces / box

Warranty: 25 years limited manufacturer's warranty



TAFELBERG - BEV

CMP - Custom stain solid Oak

CMP - Custom stain solid Oak

Plank Dimensions: 1900 x 190 x 14/3mm Packaged: 2.888sqm - 8 pieces / box Top Face: 3mm lightly brushed Oak, with white matt lacquer from BERGOLIN Core: 10mm 3-ply Poplar core with a 1mm Poplar back

Factory finishing process 3 x primer coat 2 x UV lacquer top coat 5 x UV lamp drying



Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Plank Dimensions: 1900 x 190 x 14/3mm Packaged: 2.888sqm - 8 pieces / box

Top Face: 3mm lightly brushed Oak, with natural matt

Warranty: 25 years limited manufacturer's warranty



Core: 10mm 3-ply Poplar core with a 1mm Poplar back **Factory finishing process** 3 x primer coat 2 x UV lacquer top coat

5 x UV lamp drying

lacquer from BERGOLIN

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Warranty: 25 years limited manufacturer's warranty

AMATOLA - BEV

CMP - Custom stain solid Oak

14/3mm Pre-finished oak flooring



BEV WINTERBERG -



PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1900 x 260 x 14/3mm Packaged: 3.952sqm - 8 pieces / box

Top Face: 3mm lightly brushed Oak top face with LOBA

matt lacquer and invisible UV oil

Core: 10mm 3-ply Pine core with a 1mm Pine back

Factory finishing process 2 x Invisible oil and UV lamp drying 3 x primer coat 2 x UV oil top coat 5 x UV lamp drying



Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Warranty: 25 years limited manufacturer's warranty



BEV TSITSIKAMA -

CMP - Custom stain solid Oak

Plank Dimensions: 1900 x 260 x 14/3mm Packaged: 3.952sqm - 8 pieces / box Top Face: 3mm lightly brushed smoked Oak top face white oiled and white waxed with American Wood Oil Core: 10mm 3-ply Pine core with a 1mm Pine back

Factory finishing process Smoked, white oiled and white wax oiled. The smoked veneer is fumigated in a closed smoke kiln. The colour of the smoke permeates the whole veneer making it more natural. This product is dried naturally over 1-2 days.

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Plank Dimensions: 1900 x 260 x 14/3mm

Warranty: 25 years limited manufacturer's warranty



Packaged: 3.952sqm - 8 pieces / box Top Face: 3mm lightly brushed, hand scraped smoked Oak top face, naturally lacquered with ATLAS Matt lacquer Core: 10mm 3-ply Pine core with a 1mm Pine back

Factory finishing process Smoked, then hand-scraped and natural matt lacquered. The smoked veneer is fumigated in a closed smoke kiln. The colour of the smoke permeates the whole veneer making it more natural. This product is dried naturally over 1-2 days.

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Warranty: 25 years limited manufacturer's warranty

KAROO - BEV

15/4MM PRE-FINISHED OAK FLOORING



PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1900 x 190 x 15/4mm Packaged: 2.888sqm - 8 pieces / box

Top Face: 4mm lightly brushed Oak top face with LOBA

Invisible UV lacquered

Core: 10mm 3-ply Poplar core with a 1mm Poplar back


Finishing process 3 x primer coat 2 x UV sealing coats

9 x UV curing lamps and drying tunnels

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Warranty: 25 years limited manufacturer's warranty







Plank Dimensions: 1900 x 190 x 15/4mm Packaged: 2.888sqm - 8 pieces / box Top Face: 4mm lightly brushed and white washed Oak top face with KLUMPP UV lacquer Core: 10mm 3-ply Poplar core with a 1mm Poplar back

KLUMPP

Finishing process 3 x primer coat 2 x UV sealing coats

9 x UV curing lamps and drying tunnels

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Warranty: 25 years limited manufacturer's warranty

MALUTI - BEV

CMP - Custom stain solid Oak



Plank Dimensions: 1900 x 190 x 15/4mm Packaged: 2.888sqm - 8 pieces / box Top Face: 4mm lightly brushed and white stained Oak top face with KLUMPP UV lacquer Core: 10mm 3-ply Poplar core with a 1mm Poplar back

Finishing process **KLUMPP** 3 x primer coat 2 x UV sealing coats 9 x UV curing lamps and drying tunnels

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Warranty: 25 years limited manufacturer's warranty

OUTENIQUA - BEV



CMP - Custom stain solid Oak

FINOAK UNFINISHED PLANK OPTIONS



UNFINISHED OAK RUSTIC - BEV



FINOak UNFINISHED Rustic

Available Plank Dimensions: 1900 x 190 x 15/4mm

Packaged: 2.888sqm - 8 pieces / box Top Face: 4mm Unfinished Oak, Smooth Core: 10mm 3-ply Poplar core with a 1mm Poplar back

2200 x 220 x 15/4mm

1mm backing board

Packaged: 2.904sqm - 8 pieces / box Top Face: 4mm Unfinished Oak, Smooth

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Warranty: 25 years limited manufacturer's warranty



UNFINISHED HERRINGBONE OAK RUSTIC - BEV





FINOak HERRINGBONE Rustic

Available Plank Dimensions: 600 x 125 x 14/3mm Packaged: 1.5sqm - 20 pieces / box Top Face: 3mm lightly sanded Unfinished Oak Core: 10mm Poplar and Eucalyptus Multi-ply core with a

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required and to be fitted as a fully-bonded glue-down installation Warranty: 25 years limited manufacturer's warranty

NOTE! INSTALLATION METHOD

Although our FINOak flooring range comes with an easy click installation system any of the above FINOak planks can be installed as a glue down installation. Thereby increasing the floor coverage allowance and reducing or negating the use of expansion profiles.



[Left] A FINOak (1900 x 190 x 15/4mm) unfinished wood floor with a custom Oleum Smoke stain and 2K sealer in a commercial restaurant setting.

The 2K sealer not only seals the floor but also increases durability, ensuring longlasting protection.

We recommend 2K sealer over any custom stain for superior performance and preservation of the floor's finish.

Jax OLEUM custom colour wood stain - select your colour





Jax Oleum is an incredibly effective and durable single coat, oil based wood stain that protects, nourishes and colours wood in one very easy application.

It can be applied to any type of uncoated wood, used for both interior or exterior applications and works successfully with other over coat brands.

Proudly made in South Africa, Jax Oleum is a global green tag certified product with low VOC emissions. With over 70 colours to choose from the possibilities are endless. These are some of our favorite trending colours.













Light Grey



Grey





Dark Wheat







































Ebony



Extra Dark Mahogany

Black

Extra Extra Black

2K Sealer











NOTE! Although it will increase the final cost, we recommend you use a 2K sealer with any custom colour

JAX OLEUM LOCALLY PRE-FINISHED OAK FLOORING



EBONY - BEV



CMP - Custom stain solid Oak

PRODUCT INFORMATION AND WARRANTY

Available in the following plank dimensions: 1900 x 190 x 15/4mm 2200 x 220 x 15/4mm 600 x 125 x 14/3 herringbone plank

Top Face: Rustic Oak with Jax Oleum Ebony Stain and 2K sealer

Finishing process Locally finished at the Jax factory with 1 x Ebony colour coat 2 x 2K sealer that is then dried naturally

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Warranty: 25 years limited manufacturer's warranty



DARK OAK - BEV



Available in the following plank dimensions: 1900 x 190 x 15/4mm 2200 x 220 x 15/4mm 600 x 125 x 14/3 herringbone plank

Top Face: Rustic Oak with Jax Oleum Dark Oak Stain and 2K sealer

Finishing process Locally finished at the Jax factory with 1 x Dark Oak colour coat 2 x 2K sealer that is then dried naturally

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Warranty: 25 years limited manufacturer's warranty



Available in the following plank dimensions: 1900 x 190 x 15/4mm 2200 x 220 x 15/4mm 600 x 125 x 14/3 herringbone plank

Top Face: Rustic Oak with Jax Oleum Sofa Grey Stain and 2K sealer

Finishing process Locally finished at the Jax factory with 1 x Sofa Grey colour coat 2 x 2K sealer that is then dried naturally

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Warranty: 25 years limited manufacturer's warranty

JAX OLEUM LOCALLY PRE-FINISHED OAK FLOORING



SAND - BEV

CMP - Custom stain solid Oak

PRODUCT INFORMATION AND WARRANTY

Available in the following plank dimensions: 1900 x 190 x 15/4mm 2200 x 220 x 15/4mm 600 x 125 x 14/3 herringbone plank

Top Face: Rustic Oak with Jax Oleum Sand Stain and 2K sealer

Finishing process Locally finished at the Jax factory with Garleum 1 x Sand colour coat 2 x 2K sealer that is then dried naturally

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Warranty: 25 years limited manufacturer's warranty



WALNUT - BEV

CMP - Custom stain solid Oak

Available in the following plank dimensions: 1900 x 190 x 15/4mm 2200 x 220 x 15/4mm 600 x 125 x 14/3 herringbone plank

Top Face: Rustic Oak with Jax Oleum Walnut Stain and 2K sealer

Finishing process Locally finished at the Jax factory with Tollow 1 x Walnut colour coat 2 x 2K sealer that is then dried naturally

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required

Warranty: 25 years limited manufacturer's warranty



Available in the following plank dimensions: 1900 x 190 x 15/4mm 2200 x 220 x 15/4mm 600 x 125 x 14/3 herringbone plank

Top Face: Rustic Oak with Jax Oleum Extra White Stain and 2K sealer

Finishing process Locally finished at the Jax factory with 1 x Extra White colour coat 2 x 2K sealer that is then dried naturally

Coverage: 12 x 12m floating installation Expansion gap: 12-15mm is required Warranty: 25 years limited manufacturer's warranty


EXTRA WHITE - BEV

CMP - Custom stain solid Oak

VINYL FLOORING VINYL FLOORING Vinyl flooring is a popular option for busy households, offices, cafés, and commercial spaces due to its low maintenance, water resistance, affordability, and long lifespan. It provides the right balance of firmness and flexibility, offering a comfortable feel underfoot. **Top 5 Reasons to Choose Vinyl Flooring** Low Maintenance: Vinyl flooring requires minimal upkeep—just regular sweeping and occasional mopping to keep it looking great. Durability: With SUPER UV commercial-grade wear layers, our vinyl plank flooring is built to withstand heavy foot traffic, making it ideal for both residential and commercial spaces. Water Resistance: Vinyl's water-resistant properties make it perfect for kitchens, bathrooms, and other moisture-prone areas. Affordability: Vinyl offers an excellent balance of quality and cost-effectiveness, making it a budget-friendly flooring option. Versatility in Design: Advances in technology have introduced a wide range of finishes, textures, and styles, allowing vinyl flooring to mimic natural materials like wood or stone while remaining practical.










AURORA II GLUE DOWN VINYL



PORTIA - WOOD EMBOSS - BEV CCP - Meva Oak

INTERNATIONAL CERTIFICATION










(Class 23)
















(Class 31)

Light Commercial





CELESTE - WOOD EMBOSS - BEV











CCP - Walnut / Sandstone

CCP - Mist Oak / Sandstone



HAYLEY - WOOD EMBOSS - BEV



CCP - Walnut



GALAXY II GLUE DOWN VINYL



SAURON - WOOD EMBOSS - P.BEV

CCP - Mist Oak / Sandstone



BODE - EIR - PBEV CCP - Meva Oak



DRACO - WOOD EMBOSS - P.BEV

CCP - Sandstone / Walnut



MALIN - WOOD EMBOSS - P.BEV

CCP - Meva Oak / Walnut

INTERNATIONAL CERTIFICATION



DRACO (ABOVE)



















Heavy Commercial (Class 33)



HOAG - EIR - P.BEV

CCP - Sandstone



COMA - WOOD EMBOSS - P.BEV

CCP - Sandstone / Stone Grey



FINCRETE GLUE DOWN VINYL



ASH - CORAL FINISH - BEV



SMOKE - CORAL FINISH - BEV

SMOKE CGI IMAGE (ABOVE)





















EN ISO 10582 - Fit for use classification



Heavy Commercial (Class 33)



FLINT - CORAL FINISH - BEV



SAPPHIRE SPC WIDE



INTERNATIONAL CERTIFICATION







DIAMOND CORE SPC+



INTERNATIONAL CERTIFICATION







BELLA NEO **AGT**




NATURA LINE **AGT**



ARMONIA **AGT**



BLACK FOREST +



AUTHENTIC HERRINGBONE



SUN BLEACHED OAK - MATT WOOD GRAIN - V4



CCP - Mist Oak / Washed Oak




WALNUT - MATT WOOD GRAIN - V4





AUTHENTIC HERRINGBONE LAYING PATTERNS


Herringbone laying patterns















Basket weave laying patterns











FINLINE



UNDERLAYS AND ACCESSORIES



COMBILAY

2mm thick aerothene that is laminated onto a clear 80 micron virgin plastic moisture membrane, with a 100mm overlap on the one side that is to be taped down.

Made from virgin plastic

- Cushioning
- · Moisture and mold resistant, Non-absorbent and rot resistant
- Protects flooring from moisture egress from screed
- Enhanced floor covering lifespan
- Minimal thermal properties energy saving



FINIXPE

A premium acoustic underlay made up of a 2mm sound dampening high performance Irradiated Cross-Linked Polyethylene (IXPE) extra fine foam, with an overlapping 80 micron HDPE (High Density Polyethylene) vapour barrier, for extra moisture protection at the joints. Easy to install with easy peel tape to adhered to the 100mm overlap

- Sound absorbing
- Moisture and mold resistant
- Enhanced floor covering lifespan
- Increased thermal properties
- Increased acoustic properties
- Cushioning
- · Non-absorbent and rot resistant
- Excellent rebound properties
- · Energy saving
- Anti-static and anti-allergenic

LUX WRAP SKIRTING AND QUADS



DELUXE Skirting - Colour complementing 2700 x 90 x 16mm

Cover expansion gaps along walls

or White XL Skirting - 2700 x 120 x 16mm



FINQuad 2350 x 16 x 16mm


Cover expansion gaps along walls and cupboards.

MDF colour complementing skirting and quads are for use with all FINFLOOR laminate, vinyl and engineered wooden flooring ranges.

MDF WRAPPED PROFILES

Adaption Profile - 2350 x 45 x 12mm For connection floor to adjacent lower surface Transition Profile - 2350 x 45 x 12mm For connection of floors of the same level End Profile - 2350 x 35 x 12mm For borders of different floor surfaces and front of sills Stair Nose Profile - 2350 x 55 x 12mm Used to cover the edge between riser and step

ALUMINIUM WRAPPED PROFILES



Save time and money with a wide selection of ready-finished and colour complementing profiles. Affordable colour matching MDF profiles are for use with all our laminate ranges.

Aluminium profiles don't swell and are available with adjustable heights. They can be used with vinyl, laminate or engineered wood flooring installations with planks ranging from 4-18mm in height. End profiles come in 2 different heights, for use with laminate or vinyl installations. Specify end height on order and if they are for vinyl or laminate floors.