

ROMA AWNING

All units manufactured with anodised aluminium frames in Ventolite's unique roll formed profile.

Supplied as fixed awning - fully assembled with fabric as selected.

All corners and joins will be mitred.

All valances are 150mm deep.

Frame Construction

Main Frame - "20/48" Profile

Intermediate Arm - "18/28" Profile

Intermediate Arm Braces - "U - Channel"

EXTRA'S:

For 200mm Deep Valance = see price list

For Double Valance 150mm & 200mm = see price list



Maximum Width - 6000mm
Maximum Projection - 1300mm

All awnings over 4480mm should have an intermediate arm
Please see intermediate arm price list

Notes:

1. Prices are based on canvas acrylic fabrics, please see Awning notes to price other ranges of fabric.
2. The size you order is the overall size you will receive, Ventolite Awnings make no deductions.
3. **Please read Awning notes when placing an order.**

IT IS THE AIM OF VENTOLITE AWNINGS TO CONTINUALLY IMPROVE ITS PRODUCTS, THE RIGHT TO ALTER DESIGNS OR SPECIFICATIONS IS THEREFORE RESERVED.

ROMA AWNING

400mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 1000 | 1100 | 1200 | 1300 | 1400 | 1500 | 1600 | 1700 | 1800 | 1900 | 2000 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

400mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 2100 | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 | 3000 | 3100 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

ROMA AWNING

400mm Back Height

| | | Width mm | | | | | | | | | | |
|---------------|--|----------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | | 3200 | 3300 | 3400 | 3500 | 3600 | 3700 | 3800 | 3900 | 4000 | 4100 | 4200 |
| 500 | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | |
| 800 | | | | | | | | | | | | |
| 900 | | | | | | | | | | | | |
| 1000 | | | | | | | | | | | | |
| 1100 | | | | | | | | | | | | |
| 1200 | | | | | | | | | | | | |
| 1300 | | | | | | | | | | | | |

= see price list

400mm Back Height

| | | Width mm | | | | | | | |
|---------------|--|----------|------|------|------|------|------|------|------|
| Projection mm | | 4300 | 4400 | 4500 | 4600 | 4700 | 4800 | 4900 | 5000 |
| 500 | | | | | | | | | |
| 600 | | | | | | | | | |
| 700 | | | | | | | | | |
| 800 | | | | | | | | | |
| 900 | | | | | | | | | |
| 1000 | | | | | | | | | |
| 1100 | | | | | | | | | |
| 1200 | | | | | | | | | |
| 1300 | | | | | | | | | |

= see price list

ROMA AWNING

450mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 1000 | 1100 | 1200 | 1300 | 1400 | 1500 | 1600 | 1700 | 1800 | 1900 | 2000 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

450mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 2100 | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 | 3000 | 3100 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

ROMA AWNING

450mm Back Height

| | | Width mm | | | | | | | | | | |
|---------------|--|----------|------|------|------|------|------|------|------|------|------|--|
| Projection mm | | 3200 | 3300 | 3400 | 3500 | 3600 | 3700 | 3800 | 3900 | 4000 | 4100 | |
| 500 | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | |
| 800 | | | | | | | | | | | | |
| 900 | | | | | | | | | | | | |
| 1000 | | | | | | | | | | | | |
| 1100 | | | | | | | | | | | | |
| 1200 | | | | | | | | | | | | |
| 1300 | | | | | | | | | | | | |

= see price list

450mm Back Height

| | | Width mm | | | | | | | |
|---------------|--|----------|------|------|------|------|------|------|------|
| Projection mm | | 4300 | 4400 | 4500 | 4600 | 4700 | 4800 | 4900 | 5000 |
| 500 | | | | | | | | | |
| 600 | | | | | | | | | |
| 700 | | | | | | | | | |
| 800 | | | | | | | | | |
| 900 | | | | | | | | | |
| 1000 | | | | | | | | | |
| 1100 | | | | | | | | | |
| 1200 | | | | | | | | | |
| 1300 | | | | | | | | | |

= see price list

ROMA AWNING

500mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 1000 | 1100 | 1200 | 1300 | 1400 | 1500 | 1600 | 1700 | 1064 | 1900 | 2000 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

500mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 2100 | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 | 3000 | 3100 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

ROMA AWNING

500mm Back Height

| | | Width mm | | | | | | | | | | |
|---------------|--|----------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | | 3200 | 3300 | 3400 | 3500 | 3600 | 3700 | 3800 | 3900 | 4000 | 4100 | 4200 |
| 500 | | | | | | | | | | | | |
| 600 | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | |
| 800 | | | | | | | | | | | | |
| 900 | | | | | | | | | | | | |
| 1000 | | | | | | | | | | | | |
| 1100 | | | | | | | | | | | | |
| 1200 | | | | | | | | | | | | |
| 1300 | | | | | | | | | | | | |

= see price list

500mm Back Height

| | | Width mm | | | | | | | |
|---------------|--|----------|------|------|------|------|------|------|------|
| Projection mm | | 4300 | 4400 | 4500 | 4600 | 4700 | 4800 | 4900 | 5000 |
| 500 | | | | | | | | | |
| 600 | | | | | | | | | |
| 700 | | | | | | | | | |
| 800 | | | | | | | | | |
| 900 | | | | | | | | | |
| 1000 | | | | | | | | | |
| 1100 | | | | | | | | | |
| 1200 | | | | | | | | | |
| 1300 | | | | | | | | | |

= see price list

ROMA AWNING

550mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 1000 | 1100 | 1200 | 1300 | 1400 | 1500 | 1600 | 1700 | 1064 | 1900 | 2000 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

550mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 2100 | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 | 3000 | 3100 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

ROMA AWNING

550mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 3200 | 3300 | 3400 | 3500 | 3600 | 3700 | 3800 | 3900 | 4000 | 4100 | 4200 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

550mm Back Height

| Width mm | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|
| Projection mm | 4300 | 4400 | 4500 | 4600 | 4700 | 4800 | 4900 | 5000 |
| 500 | | | | | | | | |
| 600 | | | | | | | | |
| 700 | | | | | | | | |
| 800 | | | | | | | | |
| 900 | | | | | | | | |
| 1000 | | | | | | | | |
| 1100 | | | | | | | | |
| 1200 | | | | | | | | |
| 1300 | | | | | | | | |

= see price list

ROMA AWNING

600mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 1000 | 1100 | 1200 | 1300 | 1400 | 1500 | 1600 | 1700 | 1064 | 1900 | 2000 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

600mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 2100 | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 | 3000 | 3100 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

ROMA AWNING

600mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 3200 | 3300 | 3400 | 3500 | 3600 | 3700 | 3800 | 3900 | 4000 | 4100 | 4200 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

600mm Back Height

| Width mm | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|
| Projection mm | 4300 | 4400 | 4500 | 4600 | 4700 | 4800 | 4900 | 5000 |
| 500 | | | | | | | | |
| 600 | | | | | | | | |
| 700 | | | | | | | | |
| 800 | | | | | | | | |
| 900 | | | | | | | | |
| 1000 | | | | | | | | |
| 1100 | | | | | | | | |
| 1200 | | | | | | | | |
| 1300 | | | | | | | | |

= see price list

ROMA AWNING

650mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 1000 | 1100 | 1200 | 1300 | 1400 | 1500 | 1600 | 1700 | 1064 | 1900 | 2000 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

650mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 2100 | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 | 3000 | 3100 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

ROMA AWNING

650mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 3200 | 3300 | 3400 | 3500 | 3600 | 3700 | 3800 | 3900 | 4000 | 4100 | 4200 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

650mm Back Height

| Width mm | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|
| Projection mm | 4300 | 4400 | 4500 | 4600 | 4700 | 4800 | 4900 | 5000 |
| 500 | | | | | | | | |
| 600 | | | | | | | | |
| 700 | | | | | | | | |
| 800 | | | | | | | | |
| 900 | | | | | | | | |
| 1000 | | | | | | | | |
| 1100 | | | | | | | | |
| 1200 | | | | | | | | |
| 1300 | | | | | | | | |

= see price list

ROMA AWNING

700mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 1000 | 1100 | 1200 | 1300 | 1400 | 1500 | 1600 | 1700 | 1800 | 1900 | 2000 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

700mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 2100 | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 | 3000 | 3100 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

ROMA AWNING

700mm Back Height

| Width mm | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|------|------|
| Projection mm | 3200 | 3300 | 3400 | 3500 | 3600 | 3700 | 3800 | 3900 | 4000 | 4100 | 4200 |
| 500 | | | | | | | | | | | |
| 600 | | | | | | | | | | | |
| 700 | | | | | | | | | | | |
| 800 | | | | | | | | | | | |
| 900 | | | | | | | | | | | |
| 1000 | | | | | | | | | | | |
| 1100 | | | | | | | | | | | |
| 1200 | | | | | | | | | | | |
| 1300 | | | | | | | | | | | |

= see price list

700mm Back Height

| Width mm | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|
| Projection mm | 4300 | 4400 | 4500 | 4600 | 4700 | 4800 | 4900 | 5000 |
| 500 | | | | | | | | |
| 600 | | | | | | | | |
| 700 | | | | | | | | |
| 800 | | | | | | | | |
| 900 | | | | | | | | |
| 1000 | | | | | | | | |
| 1100 | | | | | | | | |
| 1200 | | | | | | | | |
| 1300 | | | | | | | | |

= see price list