

WINDOVERT

A world of window coverings



WINDOVERT TIMBER SHUTTER

Windovert Timber Shutters are ideal for all parts of your home, including the living room, kitchen, bathroom, and bedrooms, since they provide the best in light, ventilation, and privacy control.

These shutters are manufactured locally, making them unrivaled in terms of product quality and service. Our specialist in-house teams oversee the entire production process, beginning with the initial design.

The Timber Shutters has a 25mm thick frame and is manufactured by using only FSC approved timber; with a 3-year warranty.



AVAILABLE COLOURS

STANDARD



CUSTOM SUR-CHARGE



CHEAT SHEET



TIMBER (AYOUS WOOD)

Hinge		Track	
Hinge folds 180° flat onto wall		Stacks 90° into room	
Min reveal = 30mm		Min reveal = 75mm	
Min face fix = 20mm		Std top track	
Available in 3 or 4 sided frames		No frames available on track solution	
Louvre width = 90mm		Louvre width = 90mm	
Stile = 30mm wide x 25mm thick		Stile = 30mm wide x 25mm thick	
		Cleat = 27mm x 27mm	
Two types of Hinge Solutions		Only one type of Track Solutions	
Reveal fix	Face Fix	Reveal fix (no frames)	
Two types of Bottom Tracks		Two types of Bottom Tracks	
No bottom tracks on Hinge Solutions		Surface mounted	Recessed
Cleats		Cleats	
No cleats required on Hinge Solutions		With or without cleats (we recommend with cleats)	
Max panels		Max panels	
2x panels hinged left, 2x panels hinged right		Max 6 panels hinged together in one stack (unlimited number of sets)	
Max Shutter Width		Max Shutter Width	
1 Panel = 600mm		1 Panel = 600mm	
Max Shutter Height		Max Shutter Height	
Max Height = 2200mm		Max Height = 2200mm	
Midrail		Midrail	
Yes (66mm)		Yes (66mm)	
A must when exceeding 1700mm in height		A must when exceeding 1700mm in height	
Min Shutter Width		Min Shutter Width	
Min Shutter width	300mm per panel	Min Shutter width	300mm per panel
Min Shutter Height	430mm due to hinges	Min Shutter Height	430mm due to hinges
Locking mechanism			
Magnetic Catches	Flush Bolts (only locks into floor)	Adj Spring Loaded Guide	Flush Bolts (only locks into bottom track)
Warranty			
2-years			
Lead time			
28 working days for standard colours & stains			



WINDOVERT TIMBER SHUTTER PRICING

25mm Timber shutter:

Price related specifications:

- Width
- Height
- Colour

- Base pricing is R5085 per square
- White, clear/natural and mature teak no surcharge
- Spier black, African Oak and Light Grey have %(TBC by HQ) surcharge (minimum R5390)

STANDING OPERATING PROCEDURE

- Once a client accepts a quote, complete the SOW as per the link.
- Your Technical Account manager will go through the SOW to check that configurations is in order.
- SOW will be sent to you for confirmation.
- OPC(order pricing confirmation) will be generated using the information on the confirmed SOW provided.
- Deposit to be made on the RRP amount on the OPC.
If the payment is delayed, the job will be put on hold.
- The job will be delivered to the provided address on the designated delivery day.
- Invoice will be generated once the job has been paid in full and marked as despatched.

CARE & MAINTENANCE



Always keep the louvres closed before stacking the shutters open.



When stacking your timber shutters open, we recommend starting from the position you want the shutters moved to and stacking them two by two until the entire set is gathered.



Vacuum the inside of the tracks on a regular basis to keep them clean.



Avoid using cleaning chemicals like Mr Min or any wood spray or oil on your timber shutters.



Use a dust cloth to dust and clean your shutters.



Do not use detergents to clean any marks on shutters; instead, use a moist cloth to remove persistent marks.



Keep dogs, cats and parrots away from the timber shutter louvres, as they can scratch it.